

# ExamcollectionPass

Pass Your Next Certification Exam Fast!

Login / Register

Shopping Cart (3)

Everything you need to prepare, learn & pass your certification exam easily.

Search...



## Online Test Engine

Instant Online Access, Test History and Performance Review, Supports Windows / Mac / Android / iOS, etc. →

## Desktop Test Engine

Installable Software Application, Simulates Real Exam Environment, Supports MS Operating System, Practice Offline Anytime. →

## PDF Format

Printable PDF Format, Prepared by IT Experts, Study Anywhere, Anytime, Free PDF Demo Available. →

Download a free pdf sample of any of our study materials

- ▶ 24/7 customer support, Secure shopping site
- ▶ Free One year updates to match real exam scenarios
- ▶ If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor... ▼

Select an test... ▼

Your email address

Free Download Demo



**48923+**  
Happy Clients



**48923+**  
Shares



**97846+**  
Downloads



**9999+**  
Years in Business

<http://www.examcollectionpass.com/>

Everything you need to prepare, learn & pass your certification exam easily.

**Exam** : **C9050-549**

**Title** : IBM Certified System  
Programmer - IBM IMS

**Vendor** : IBM

**Version** : DEMO

NO.1 Which SYS1.PARMLIB member must contain an entry for the IMS off line dump formatter to work?

- A. DIAGxx
- B. SCHEDxx
- C. BLSCECTX
- D. COMMNDx

**Answer:** C

NO.2 Dynamic Resource Definition can be used to replace which type of sysgen?

- A. ONLINE
- B. CTLBLKS
- C. NUCLEUS
- D. MODBLKS

**Answer:** D

NO.3 What does the STRINGMX statement in the DSFVSMxx member specify?

- A. The length of the DASD channel supported.
- B. The characteristics of the buffers in the VSAM pool.
- C. The characteristics of the buffers in the OSAM pool.
- D. The number of VSAM requests that can be concurrently active.

**Answer:** D

NO.4 Your administrative scheduler shows message DSNA679I indicating that one or both copies of your task

lists is not accessible or is corrupted. Your analysis shows that only the VSAM file is corrupt, but the ADMIN\_TASKS table is still operational. Which statement describes how to correct this situation?

- A. Create an empty version of the VSAM task list and let DB2 perform an autonomic recovery using the content of the ADMIN\_TASKS table.
- B. Create an empty version of the VSAM task list and use REPRO utility to copy the contents of the VSAM cluster containing the ADMIN\_TASKS table.
- C. Create an empty version of the VSAM task list and use DB2 command -RECOVER TASKLIST to recover the content of the ADMIN\_TASKS table.
- D. No manual interaction is needed as long as the ADMIN\_TASKS table is still accessible.

**Answer:** A

NO.5 The statistics report shows a high occurrence of timeouts. Which action will reduce the timeouts?

- A. Decrease NUMLKUS (number of locks per user) in DSNZPARM.
- B. Increase DEADLOCK value by issuing MODIFY irImproc,SET command.
- C. Decrease NUMLKTS (number of locks per table space) in DSNZPARM.
- D. Increase TIMEOUT value by issuing MODIFY irImproc,SET command.

**Answer:** D

NO.6 A number of jobs are waiting for an allied connection to access a DB2 subsystem. What should be done to

increase the number of allied connections that can be allocated concurrently?

- A. Increase the value of MAXDBAT.
- B. Increase the value of CTHREAD.
- C. Increase the value of MAXKEEPD.
- D. Increase the value of MAXDS.

**Answer:** B

NO.7 A system is running low on active logs and you need to add active logs to provide some relief. What would be the appropriate action to achieve this?

- A. Allocate the new active log data sets using IDCAMS, change the ACTLGNUM DSNZPARM to a higher value, and issue the -SET SYSPARM LOAD (new-zparm-mod) command.
- B. Allocate the new active log data sets using IDCAMS, change the ACTLGNUM DSNZPARM to a higher value, and issue the -SET SYSPARM RELOAD command.
- C. Allocate the new active log data sets using IDCAMS, change the ACTLGNUM DSNZPARM to a higher value, stop DB2, and add the active log names then start DB2.
- D. Allocate the new active log data sets using IDCAMS, stop DB2, add the active log names then start DB2.

**Answer:** D

NO.8 One of your Units of Recovery (URs) needs to be backed out. The back out fails due to a read I/O error on

both copies of the archive log which is needed for the back out. DB2 issues a critical log read error indicating that a "must complete" operation could not be completed. Which statement is true?

- A. The error generates a write to operator with reply on the console asking you if DB2 should shut down.

Other URs are not directly impacted and can continue to run.

- B. The error does not generate any write to operator with reply and DB2 abends automatically.

- C. The error generates a write to operator with reply on the console asking you if DB2 should shut down.

All other URs are put on hold until you answer the write to operator reply.

- D. The error generates a write to operator with reply on the console asking you if you would like to CANCEL this UR with NOBACKOUT option and leave it in REFP restrictive state.

**Answer:** A