

# ExamcollectionPass

Pass Your Next Certification Exam Fast!

Login / Register

Shopping Cart (3)

Everything you need to prepare, learn & pass your certification exam easily.

Search...



### Online Test Engine

Instant Online Access, Test History and Performance Review, Supports Windows / Mac / Android / iOS, etc. →

### Desktop Test Engine

Installable Software Application, Simulates Real Exam Environment, Supports MS Operating System, Practice Offline Anytime. →

### PDF Format

Printable PDF Format, Prepared by IT Experts, Study Anywhere, Anytime, Free PDF Demo Available. →

Download a free pdf sample of any of our study materials

- ▶ 24/7 customer support, Secure shopping site
- ▶ Free One year updates to match real exam scenarios
- ▶ If you failed your exam after buying our products we will refund the full amount back to you.

Select a vendor... ▼

Select an test... ▼

Your email address

Free Download Demo



**48923+**  
Happy Clients



**48923+**  
Shares



**97846+**  
Downloads



**9999+**  
Years in Business

<http://www.examcollectionpass.com/>

Everything you need to prepare, learn & pass your certification exam easily.

**Exam** : **HH0-210**

**Title** : HDS Certified Implmenter-  
Enterprise

**Vendor** : Hitachi

**Version** : DEMO

NO.1 A customer wants to centrally manage their multipath software installation using Hitachi Global Link Manager (HGLM).

What are two server requirements before proceeding with the HGLM installation? (Choose two.)

- A. Stop security-monitoring programs or virus detection programs.
- B. Install the Hitachi Command Suite on the server.
- C. Ensure port number 162 is not being used by another product.
- D. Ensure port number 182 is not being used by another product.

**Answer:** A,C

NO.2 You are installing Hitachi Global Link Manager (HGLM) in an environment where port 162 is in use by another application. The network administrator has instructed you to configure HGLM to use port 182 for SNMP instead. Which file is used to configure this port?

- A. server.properties
- B. account.settings
- C. hglm.port.config
- D. host.properties

**Answer:** A

NO.3 A customer is using a Hitachi Enterprise storage system with clustered servers in an active/passive relationship. What must be done in Hitachi Dynamic Link Manager (HDLM) to ensure that the status of inactive paths on both passive and active nodes is monitored regularly?

- A. Switch on Auto Failback.
- B. Switch on Path Health Check.
- C. Set the reservation level to 2.
- D. Set up Intermittent Error Monitoring.

**Answer:** B

NO.4 A customer has removed the Data Retention license key from a VSP. What must be done so the customer can make use of the Data Retention functionality again?

- A. Re-install the same license key again.
- B. Order a new license key and install it.
- C. Re-enable the license key.
- D. Enter the Available Mode and re-activate the license key.

**Answer:** B

NO.5 A customer wants to know how to use the audit log for Storage Navigator. Which two statements are true? (Choose two.)

- A. The audit log is stored in the Web Console.
- B. The audit log can be accessed from Storage Navigator.
- C. The audit log is only viewable by the root user.
- D. The audit log can be downloaded for offline viewing.

**Answer:** B,D

NO.6 What are two benefits of using Hitachi Dynamic Provisioning (HDP)? (Choose two.)

- A. HDP improves performance by dynamically balancing I/Os across CLPRs.
- B. HDP improves performance by spreading host I/O patterns across many physical disks.
- C. HDP places cache memory in a central pool available only to dynamically provisioned volumes.
- D. HDP allows for dynamically adding more physical storage to the volume when an application requires extra capacity.

**Answer:** B,D

NO.7 A customer has created User Accounts within Storage Navigator on a VSP. How can you create a backup of this information?

- A. Create a ghost image of the SVP.
- B. Use HiSat to keep track of the information in a CSV format.
- C. Copy the source files from the SVP.
- D. Use the download configuration function of the Storage Navigator control panel.

**Answer:** D

NO.8 What are two characteristics of the encryption feature on VSP systems? (Choose two.)

- A. No external appliances are needed.
- B. Encryption can be managed at the LDEV level.
- C. Encryption is performed in the disk drive (HDU).
- D. Encryption can be managed at the RAID Group level.

**Answer:** A,D

NO.9 Which two self-service resources would you use if you require installation assistance? (Choose two.)

- A. Hitachi Data Systems Support Portal
- B. Hitachi Data Systems InfoSearch database
- C. Hitachi Data Systems product documentation
- D. Hitachi Data Systems Installation Service Manager

**Answer:** A,C

NO.10 What is the benefit of installing an additional pair of disk adapters (DKA) on a VSP?

- A. It increases the total number of disk drives that can be installed.
- B. It allows intermix of 2,5" and 3,5" disk drives.
- C. It increases throughput on the existing SAS links.
- D. It increases the number of SAS links.

**Answer:** D

NO.11 A customer wants to connect multiple servers with various operating systems to a single Fibre Channel port of a VSP. Which two actions are required after having LUN security enabled on that port? (Choose two.)

- A. Reset the port.
- B. Register Host WWNs.

- C. Set port to Initiator mode.
- D. Create individual Host Groups.

**Answer:** B,D

NO.12 Which two statements about LU Size Expansion (LUSE) are true for a Hitachi VSP system?  
(Choose two.)

- A. LUSE volumes can reside on external storage.
- B. You can make a LUSE from LDEVs on different CUs.
- C. You can only make a LUSE when LDEVs are the same size.
- D. You can make a LUSE from LDEVs of different emulation type.

**Answer:** A,B